

IN THE CLAIMS:

Please amend Claims 63, 70 and 71 as shown below. The claims, as pending in the subject application, read as follows:

---

1-62. (Cancelled)

63. (Currently Amended) An image reproduction control apparatus, comprising:

61 a storage unit using a detachable memory, the detachable memory storing a plurality of reproducible images and a reproduction instruction file, the reproduction instruction file including one or more file names specifying one or more images to be reproduced, the one or more file names in an order;

a reading section for reading the reproduction instruction file to determine the one or more file names specifying one or more images to be reproduced;

a reproduction control section for controlling reproduction of the one or more images to be reproduced by reading, in order, the one or more images to be reproduced specified by the reproduction instruction file;

a display control section for controlling display, in a display unit, so that a user may confirm whether or not reproduction of the one or more images is to be performed, the display unit displaying thumbnail images corresponding to the images stored in the detachable memory, wherein the displayed thumbnail images ~~displayed are~~ include at least one indicium to distinguish ~~distinguished~~ between images that have been designated by the reproduction

instruction file for reproduction and images that have not been designated by the reproduction instruction file for reproduction; and

an operation section for starting the reproduction in accordance with input from a user and for performing the reproduction of the one or more images to be reproduced after confirmation by the user that the one or more images specified by the reproduction instruction file and which display the at least one indicium are to be reproduced, wherein, in the confirmation, the one or more thumbnail images are reproduced as image data to be displayed.

61  
2  
~~64.~~ (Previously Presented) The image reproduction control apparatus of claim ~~63~~<sup>1</sup>, further comprising a recording section for recording the reproduction instruction file in the detachable memory in accordance with user input.

3  
~~65.~~ (Previously Presented) The image reproduction control apparatus of claim ~~63~~<sup>1</sup>, wherein said display unit displays the one or more images to be reproduced specified by the reproduction instruction file.

4  
~~66.~~ (Previously Presented) The image reproduction control apparatus of claim ~~63~~<sup>1</sup>, wherein said display unit displays the one or more file names included in the reproduction instruction file.

67. (Cancelled)

5 ~~68.~~ (Previously Presented) The image reproduction control apparatus of claim <sup>1</sup>63, wherein the reproduction instruction file includes one or more reproduction instructions, and one or more of the instructions is a print instruction.

6 ~~69.~~ (Previously Presented) The image reproduction control apparatus of claim <sup>1</sup>63, wherein said display control section is operated in accordance with the attachment of said detachable memory.

7 ~~70.~~ (Currently Amended) A method of controlling image reproduction, the method comprising:

61 providing a storage unit using a detachable memory, the detachable memory storing a plurality of reproducible images and a reproduction instruction file, the reproduction instruction file including one or more file names specifying one or more images to be reproduced, the one or more file names in an order;

reading the reproduction instruction file to determine the one or more file names specifying one or more images to be reproduced;

controlling reproduction of the one or more images to be reproduced by reading, in order, the one or more images to be reproduced specified by the reproduction instruction file;

controlling display, in a display unit, so that a user may confirm whether or not reproduction of the one or more images is to be performed, the display unit displaying thumbnail images corresponding to the images stored in the detachable memory, wherein the

displayed thumbnail images ~~displayed~~ are include at least one indicium to distinguish  
~~distinguished~~ between images that have been designated by the reproduction instruction file  
for reproduction and images that have not been designated by the reproduction instruction file  
for reproduction; and

starting the reproduction in accordance with input from a user and for  
performing the reproduction of the one or more images to be reproduced after confirmation  
by the user that the one or more images specified by the reproduction instruction file and  
which display the at least one indicium are to be reproduced, wherein, in the confirmation, the  
one or more thumbnail images are reproduced as image data to be displayed.

61  
8. ~~71.~~ (Currently Amended) A computer-readable storage medium storing a  
program for executing a method of controlling image reproduction, the method comprising:

providing a storage unit using a detachable memory, the detachable memory  
storing a plurality of reproducible images and a reproduction instruction file, the reproduction  
instruction file including one or more file names specifying one or more images to be  
reproduced, the one or more file names in an order;

reading the reproduction instruction file to determine the one or more file  
names specifying one or more images to be reproduced;

controlling reproduction of the one or more images to be reproduced by  
reading, in order, the one or more images to be reproduced specified by the reproduction  
instruction file;

controlling display, in a display unit, so that a user may confirm whether or not reproduction of the one or more images is to be performed, the display unit displaying thumbnail images corresponding to the images stored in the detachable memory, wherein the displayed thumbnail images ~~displayed are~~ include at least one indicium to distinguish distinguished between images that have been designated by the reproduction instruction file for reproduction and images that have not been designated by the reproduction instruction file for reproduction; and

starting the reproduction in accordance with input from a user and for performing the reproduction of the one or more images to be reproduced after confirmation by the user that the one or more images specified by the reproduction instruction file and which display the at least one indicium are to be reproduced, wherein, in the confirmation, the one or more thumbnail images are reproduced as image data to be displayed.

72-77. (Cancelled)